


Schematic Overview



Balloon Dilatation Catheter - UPN Code (1)

40 cm	Catheter Length 75 cm	135 cm	Balloon Diameter (mm)	Balloon Length (mm)	Sheath (F)*	Rated Burst Pressure ATM	kPa	Catheter Size (F / mm)
H74939171030240	H74939171030270	H74939171030210	3.0	20	5	24	2431	5.3 / 1.77
H74939171030340	H74939171030370	H74939171030310	3.0	30	5	24	2431	5.3 / 1.77
H74939171030440	H74939171030470	H74939171030410	3.0	40	5	24	2431	5.3 / 1.77
H74939171030640	H74939171030670	H74939171030610	3.0	60	5	24	2431	5.3 / 1.77
H74939171030840	H74939171030870	H74939171030810	3.0	80	5	24	2431	5.3 / 1.77
H74939171031040	H74939171031070	H74939171031010	3.0	100	5	24	2431	5.3 / 1.77
-	H74939171031270	H74939171031210	3.0	120	5	24	2431	5.3 / 1.77
-	H74939171031570	H74939171031510	3.0	150	5	24	2431	5.3 / 1.77
-	H74939171031870	H74939171031810	3.0	180	5	24	2431	5.3 / 1.77
-	H74939171032070	H74939171032010	3.0	200	5	24	2431	5.3 / 1.77
H74939171040240	H74939171040270	H74939171040210	4.0	20	5	24	2431	5.3 / 1.77
H74939171040340	H74939171040370	H74939171040310	4.0	30	5	24	2431	5.3 / 1.77
H74939171040440	H74939171040470	H74939171040410	4.0	40	5	24	2431	5.3 / 1.77
H74939171040640	H74939171040670	H74939171040610	4.0	60	5	24	2431	5.3 / 1.77
H74939171040840	H74939171040870	H74939171040810	4.0	80	5	24	2431	5.3 / 1.77
H74939171041040	H74939171041070	H74939171041010	4.0	100	5	24	2431	5.3 / 1.77
-	H74939171041270	H74939171041210	4.0	120	5	24	2431	5.3 / 1.77
-	H74939171041570	H74939171041510	4.0	150	5	24	2431	5.3 / 1.77
-	H74939171041870	H74939171041810	4.0	180	5	24	2431	5.3 / 1.77
-	H74939171042070	H74939171042010	4.0	200	5	24	2431	5.3 / 1.77
H74939171050240	H74939171050270	H74939171050210	5.0	20	5	24	2431	5.3 / 1.77
H74939171050340	H74939171050370	H74939171050310	5.0	30	5	24	2431	5.3 / 1.77
H74939171050440	H74939171050470	H74939171050410	5.0	40	5	24	2431	5.3 / 1.77
H74939171050640	H74939171050670	H74939171050610	5.0	60	5	24	2431	5.3 / 1.77
H74939171050840	H74939171050870	H74939171050810	5.0	80	5	24	2431	5.3 / 1.77
H74939171051040	H74939171051070	H74939171051010	5.0	100	5	24	2431	5.3 / 1.77
H74939171051240	H74939171051270	H74939171051210	5.0	120	5	24	2431	5.3 / 1.77
-	H74939171051570	H74939171051510	5.0	150	5	24	2431	5.3 / 1.77
-	H74939171051870	H74939171051810	5.0	180	5	24	2431	5.3 / 1.77
-	H74939171052070	H74939171052010	5.0	200	5	24	2431	5.3 / 1.77
H74939171060240	H74939171060270	H74939171060210	6.0	20	5	24	2431	5.3 / 1.77
H74939171060340	H74939171060370	H74939171060310	6.0	30	5	24	2431	5.3 / 1.77
H74939171060440	H74939171060470	H74939171060410	6.0	40	5	24	2431	5.3 / 1.77
H74939171060640	H74939171060670	H74939171060610	6.0	60	5	24	2431	5.3 / 1.77
H74939171060840	H74939171060870	H74939171060810	6.0	80	5	24	2431	5.3 / 1.77
H74939171061040	H74939171061070	H74939171061010	6.0	100	5	24	2431	5.3 / 1.77
H74939171061240	H74939171061270	H74939171061210	6.0	120	5	22	2229	5.3 / 1.77
-	H74939171061570	H74939171061510	6.0	150	5	22	2229	5.3 / 1.77
-	H74939171061870	H74939171061810	6.0	180	5	22	2229	5.3 / 1.77
-	H74939171062070	H74939171062010	6.0	200	5	22	2229	5.3 / 1.77

* French to millimeter conversion: 5F = 1.7 mm, 6F = 2.00 mm, 7F = 2.33 mm

Balloon Dilatation Catheter - UPN Code (2)

40 cm	Catheter Length 75 cm	135 cm	Balloon Diameter (mm)	Balloon Length (mm)	Sheath (F)*	Rated Burst Pressure ATM	kPa	Catheter Size (F / mm)
H74939171070240	H74939171070270	H74939171070210	7.0	20	5	20	2027	5.3 / 1.77
H74939171070340	H74939171070370	H74939171070310	7.0	30	5	20	2027	5.3 / 1.77
H74939171070440	H74939171070470	H74939171070410	7.0	40	5	20	2027	5.3 / 1.77
H74939171070640	H74939171070670	H74939171070610	7.0	60	5	20	2027	5.3 / 1.77
H74939171070840	H74939171070870	H74939171070810	7.0	80	5	20	2027	5.3 / 1.77
H74939171071040	H74939171071070	H74939171071010	7.0	100	5	20	2027	5.3 / 1.77
-	H74939171071270	H74939171071210	7.0	120	5	18	1823	5.3 / 1.77
-	H74939171071570	H74939171071510	7.0	150	5	18	1823	5.3 / 1.77
-	H74939171071870	H74939171071810	7.0	180	5	18	1823	5.3 / 1.77
-	H74939171072070	H74939171072010	7.0	200	5	18	1823	5.3 / 1.77
H74939171080240	H74939171080270	H74939171080210	8.0	20	6	20	2027	5.3 / 1.77
H74939171080340	H74939171080370	H74939171080310	8.0	30	6	20	2027	5.3 / 1.77
H74939171080440	H74939171080470	H74939171080410	8.0	40	6	20	2027	5.3 / 1.77
H74939171080640	H74939171080670	H74939171080610	8.0	60	6	20	2027	5.3 / 1.77
H74939171080840	H74939171080870	H74939171080810	8.0	80	6	20	2027	5.3 / 1.77
H74939171081040	H74939171081070	H74939171081010	8.0	100	6	20	2027	5.3 / 1.77
-	H74939171081270	H74939171081210	8.0	120	6	18	1823	5.8 / 1.93
-	H74939171081570	H74939171081510	8.0	150	6	18	1823	5.8 / 1.93
-	H74939171081870	H74939171081810	8.0	180	6	18	1823	5.8 / 1.93
-	H74939171082070	H74939171082010	8.0	200	6	18	1823	5.8 / 1.93
H74939171090240	H74939171090270	H74939171090210	9.0	20	6	18	1823	5.8 / 1.93
H74939171090340	H74939171090370	H74939171090310	9.0	30	6	18	1823	5.8 / 1.93
H74939171090440	H74939171090470	H74939171090410	9.0	40	6	18	1823	5.8 / 1.93
H74939171090640	H74939171090670	H74939171090610	9.0	60	6	18	1823	5.8 / 1.93
H74939171090840	H74939171090870	H74939171090810	9.0	80	6	18	1823	5.8 / 1.93
H74939171100240	H74939171100270	H74939171100210	10.0	20	6	14	1419	5.8 / 1.93
H74939171100340	H74939171100370	H74939171100310	10.0	30	6	14	1419	5.8 / 1.93
H74939171100440	H74939171100470	H74939171100410	10.0	40	6	14	1419	5.8 / 1.93
H74939171100640	H74939171100670	H74939171100610	10.0	60	6	14	1419	5.8 / 1.93
H74939171100840	H74939171100870	H74939171100810	10.0	80	6	14	1419	5.8 / 1.93
H74939171120240	H74939171120270	H74939171120210	12.0	20	7	14	1419	5.8 / 1.93
H74939171120340	H74939171120370	H74939171120310	12.0	30	7	14	1419	5.8 / 1.93
H74939171120440	H74939171120470	H74939171120410	12.0	40	7	14	1419	5.8 / 1.93
H74939171120640	H74939171120670	H74939171120610	12.0	60	7	14	1419	5.8 / 1.93
H74939171120840	H74939171120870	H74939171120810	12.0	80	7	14	1419	5.8 / 1.93

* French to millimeter conversion: 5F = 1.7 mm, 6F = 2.00 mm, 7F = 2.33 mm


European Distribution Centre - The Netherlands T: +31 45 54 67 700 F: +31 45 54 67 800 European Headquarters - Paris T: +33 1 57 66 80 00 F: +33 1 57 66 84 99 Argentina (Freephone) T: 0800 565 2678 F: +54 11 4896 8517 Australia/New Zealand T: +61 2 9593 9100 F: +61 2 9330 1404 Austria T: +43 1 60 810 F: +43 1 60 810 60 Belgium (Freephone) T: 0800 94 494 F: 0800 93 343 Brazil T: +55 11 5502 8500 F: +55 11 5103 2212 Canada T: +1 888 359 9891 F: +1 888 575 7396 Chile T: +562 445 4904 F: +562 445 4915 China - Beijing T: +86 10 8525 1588 F: +86 10 8525 1566 China - Guangzhou T: +86 20 8767 9791 F: +86 20 8767 9789 China - Shanghai T: +86 21 6141 9959 F: +86 21 6141 5900	Colombia T: +57 1 629 5045 F: +57 1 612 4761 Czech Republic T: +420 296 331 901 F: +420 296 331 935 Denmark (Freephone) T: 80 30 80 02 F: 80 30 80 05 Eire (Freephone) T: 1800 882 969 F: 1800 882 968 Finland T: +358 20 762 8882 F: +358 20 762 8883 France T: +33 1 39 30 49 00 F: +33 1 39 30 49 01 Germany (Freephone) T: 0800 723300 F: 0800 723319 Greece T: +30 210 9542 300 F: +30 210 9542 310 Hong Kong T: +852 2960 7100 F: +852 2563 5276 Hungary T: +36 1 456 30 40 F: +36 1 456 30 41 India - Bangalore T: +91 80 2212 49299 F: +91 80 2207 5153 India - Chennai T: +91 44 2220 1679 F: +91 44 2220 0716 India - Delhi T: +91 11 4243 2222 F: +91 11 2610 0808	India - Mumbai T: +91 22 4030 9165 F: +91 22 4040 9199 Italy T: +39 010 60 60 1 F: +39 010 60 60 200 Korea T: +82 2 3476 2121 F: +82 2 3476 1776 Mexico T: +52 55 5687 63 90 F: +52 55 5687 62 28 Middle East/Gulf/North Africa T: +961 1 825 410 F: +961 1 825 445 The Netherlands T: +31 30 602 55 44 F: +31 30 602 55 05 Norway (Freephone) T: 800 104 04 F: 800 101 90 Poland T: +48 22 435 14 14 F: +48 22 435 14 10 Portugal T: +351 1 381 25 40 F: +351 21 381 25 58 South Africa T: +27 11 840 8600 F: +27 11 463 6077 South East Asia - Malaysia T: +60 3 2263 3813 F: +60 3 2284 3813 South East Asia - Philippines T: +63 2 687 6994 F: +63 2 687 3047 South East Asia - Singapore T: +65 6418 8888 F: +65 6418 8889	South East Asia - Thailand T: +66 2 6390 100 F: +66 2 6390 400 South Europe T: +30 210 9542 300 F: +30 210 9542 310 Spain T: +34 901 11 12 15 F: +34 91 319 50 03 Sweden T: +46 42 25 69 00 F: +46 42 25 69 69 Switzerland T: +41 52 626 57 00 F: +41 52 626 57 01 Taiwan T: +886 2 2747 7278 F: +886 2 2747 7270 Turkey T: +90 216 464 36 66 F: +90 216 464 36 67 UK (Freephone) T: 0844 800 4512 F: 0844 800 4513 Uruguay T: +59 82 900 6212 F: +59 82 900 6212 Venezuela T: +58 212 959 6275 F: +58 212 959 5328
--	---	---	--

All cited trademarks are the property of their respective owners. CAUTION: The law restricts these devices to sale by or on the order of a physician. Indications, contraindications, warnings and instructions for use can be found in the product labeling supplied with each device. Information for the use only in countries with applicable health authority product registrations. PSST36506 Printed in Germany by medicalvision.




Mustang™

Balloon Dilatation Catheter



www.bostonscientific-international.com



© 2011 Boston Scientific Corporation or its affiliates. All rights reserved. DINPER4558EB

Mustang™ combines powerful dilatation with superior deliverability and a full-size matrix.

Only one balloon provides total performance

With superior cross and track, powerful dilatation, longer lengths, and smaller sheath sizes, Mustang is the 0.035" (0.89 mm) balloon that offers excellence across the board.



Low Profile & Excellent Sheath Compatibility

- + 0.040" (1.01 mm) lesion entry profile is only 15% larger than the wire
- + 7 mm x 200 mm through a 5F sheath
- + 10 mm x 80 mm through a 6F sheath

* French to millimeter conversion: 5F = 1.7 mm, 6F = 2.00 mm



Superior Deliverability


- + Combining excellent trackability and pushability with low lesion entry and crossing profiles, Mustang defines a new level in 0.035" (0.89 mm) deliverability



Powerful Dilatation

- + NyBax™ Balloon Material combines the strength of Nylon with the flexibility of Pebax allowing for up to 24 atm (2431 kPa) rated burst pressure
- + Excellent balloon rewapping allows for ease of introduction and withdrawal through the sheath


Rated burst pressure of 6 mm x 40 mm balloons



All cited trademarks are the property of their respective owners. All products 6 x 40 mm balloons. Rated burst pressure data per product labeling. Bench testing may not be representative of clinical performance.

A New Level of Deliverability

Deliverability is a factor of having tracking force, push response and lesion entry profile. For maximum deliverability a catheter will have a low tracking force, high pushability and a low lesion entry profile.



		Lesion Entry Profile	Crossing Profile
✖ Boston Scientific	Mustang™	0.040" / 1.01 mm	0.065" / 1.65 mm
■ Cordis	Opta Pro™	0.044" / 1.12 mm	0.064" / 1.55 mm
▼ ev3	EverCross™	0.037" / 0.94 mm	0.066" / 1.68 mm
■ Cook	Advance 35LP™	0.044" / 1.12 mm	0.066" / 1.68 mm
◆ Abbott	Fox Plus™	0.045" / 1.14 mm	0.069" / 1.75 mm
● Medtronic	Admiral Extreme™	0.039" / 0.99 mm	0.068" / 1.73 mm
▲ Bard	Rival™	0.042" / 1.07 mm	0.065" / 1.65 mm
● Bard	Dorado™	0.053" / 1.35 mm	0.076" / 1.93 mm

All products 6 x 40 mm balloons. Average Track measurements taken by Boston Scientific (n=3). Data on file. Average Push measurements taken by Boston Scientific (n=3). Data on file. Bench testing may not be representative of clinical performance.